

Huntington's disease

Description

Huntington's disease is a progressive brain disorder that causes uncontrolled movements, emotional problems, and loss of thinking ability (cognition).

Adult-onset Huntington's disease, the most common form of this disorder, usually appears in a person's thirties or forties. Early signs and symptoms can include irritability, depression, small involuntary movements, poor coordination, and trouble learning new information or making decisions. Many people with Huntington's disease develop involuntary jerking or twitching movements known as chorea. As the disease progresses, these movements become more pronounced. Affected individuals may have trouble walking, speaking, and swallowing. People with this disorder also experience changes in personality and a decline in thinking and reasoning abilities. Individuals with the adult-onset form of Huntington's disease usually live about 15 to 20 years after signs and symptoms begin.

A less common form of Huntington's disease known as the juvenile form begins in childhood or adolescence. It also involves movement problems and mental and emotional changes. Additional signs of the juvenile form include slow movements, clumsiness, frequent falling, rigidity, slurred speech, and drooling. School performance declines as thinking and reasoning abilities become impaired. Seizures occur in 30 percent to 50 percent of children with this condition. Juvenile Huntington's disease tends to progress more quickly than the adult-onset form; affected individuals usually live 10 to 15 years after signs and symptoms appear.

Frequency

Huntington's disease affects an estimated 3 to 7 per 100,000 people of European ancestry. The disorder appears to be less common in some other populations, including people of Japanese, Chinese, and African descent.

Causes

Variants (also called mutations) in the *HTT* gene cause Huntington's disease. The *HTT* gene provides instructions for making a protein called huntingtin. Although the function of this protein is unclear, it appears to play an important role in nerve cells (neurons) in the brain.

The *HTT* variant that causes Huntington's disease involves a DNA segment known as a CAG trinucleotide repeat. This segment is made up of a series of three DNA building blocks (cytosine, adenine, and guanine) that appear multiple times in a row. Normally, the CAG segment is repeated 10 to 35 times within the gene. In people with Huntington's disease, the CAG segment is repeated 36 to more than 120 times. People with 36 to 39 CAG repeats may or may not develop the signs and symptoms of Huntington's disease, while people with 40 or more repeats almost always develop the disorder.

An increase in the size of the CAG segment leads to the production of an abnormally long version of the huntingtin protein. The elongated protein is cut into smaller, toxic fragments that bind together and accumulate in neurons, disrupting the normal functions of these cells. The dysfunction and eventual death of neurons in certain areas of the brain underlie the signs and symptoms of Huntington's disease.

<u>Learn more about the gene associated with Huntington's disease</u>

HTT

Inheritance

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder. An affected person usually inherits the altered gene from one affected parent. In rare cases, an individual with Huntington's disease does not have a parent with the disorder.

As the altered *HTT* gene is passed from one generation to the next, the size of the CAG trinucleotide repeat often increases in size. A larger number of repeats is usually associated with an earlier onset of signs and symptoms. This phenomenon is called anticipation. People with the adult-onset form of Huntington's disease typically have 40 to 50 CAG repeats in the *HTT* gene, while people with the juvenile form of the disorder tend to have more than 60 CAG repeats.

Individuals who have 27 to 35 CAG repeats in the *HTT* gene do not develop Huntington's disease, but they are at risk of having children who will develop the disorder. As the gene is passed from parent to child, the size of the CAG trinucleotide repeat may lengthen into the range associated with Huntington's disease (36 repeats or more).

Other Names for This Condition

- Huntington chorea
- Huntington chronic progressive hereditary chorea
- Huntington disease
- Huntington's chorea

Additional Information & Resources

Genetic Testing Information

- Genetic Testing Registry: Juvenile Huntington disease (https://www.ncbi.nlm.nih.go v/gtr/conditions/C0751208/)
- Genetic Testing Registry: Huntington disease (https://www.ncbi.nlm.nih.gov/gtr/conditions/C0020179/)

Genetic and Rare Diseases Information Center

- Huntington disease (https://rarediseases.info.nih.gov/diseases/6677/index)
- Juvenile Huntington disease (https://rarediseases.info.nih.gov/diseases/10510/index)

Patient Support and Advocacy Resources

National Organization for Rare Disorders (NORD) (https://rarediseases.org/)

Clinical Trials

 ClinicalTrials.gov (https://clinicaltrials.gov/search?cond=%22Huntington%27s disea se%22)

Catalog of Genes and Diseases from OMIM

HUNTINGTON DISEASE; HD (https://omim.org/entry/143100)

Scientific Articles on PubMed

 PubMed (https://pubmed.ncbi.nlm.nih.gov/?term=%28Huntington+Disease%5BMAJ R%5D%29+AND+%28Huntington+disease%5BTIAB%5D%29+AND+english%5Bla %5D+AND+human%5Bmh%5D+AND+%22last+720+days%22%5Bdp%5D)

References

- Bates GP. History of genetic disease: the molecular genetics of Huntingtondisease a history. Nat Rev Genet. 2005 Oct;6(10):766-73. doi: 10.1038/nrg1686. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/16136077)
- Caron NS, Wright GEB, Hayden MR. Huntington Disease. 1998 Oct 23 [updated 2020Jun 11]. In: Adam MP, Feldman J, Mirzaa GM, Pagon RA, Wallace SE, Amemiya A,editors. GeneReviews(R) [Internet]. Seattle (WA): University ofWashington, Seattle; 1993-2025. Available fromhttp://www.ncbi.nlm.nih.gov/books/

- NBK1305/ Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/20301482)
- Gonzalez-Alegre P, Afifi AK. Clinical characteristics of childhood-onset(juvenile)
 Huntington disease: report of 12 patients and review of theliterature. J Child Neurol. 2006 Mar;21(3):223-9. doi: 10.2310/7010.2006.00055. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/16901424)
- Imarisio S, Carmichael J, Korolchuk V, Chen CW, Saiki S, Rose C, Krishna G, Davies JE, Ttofi E, Underwood BR, Rubinsztein DC. Huntington's disease: frompathology and genetics to potential therapies. Biochem J. 2008 Jun1;412(2):191-209. doi: 10.1042/BJ20071619. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/18466116)
- Jones L, Hughes A. Pathogenic mechanisms in Huntington's disease. Int RevNeurobiol. 2011;98:373-418. doi: 10.1016/B978-0-12-381328-2.00015-8. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/21907095)
- Kent A. Huntington's disease. Nurs Stand. 2004 Apr 21-27;18(32):45-51; quiz52-3. doi: 10.7748/ns2004.04.18.32.45.c3596. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/15132037)
- Maiuri T, Mocle AJ, Hung CL, Xia J, van Roon-Mom WM, Truant R. Huntingtin is ascaffolding protein in the ATM oxidative DNA damage response complex. Hum MolGenet. 2017 Jan 15;26(2):395-406. doi: 10.1093/hmg/ddw395. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/28017939)
- Sturrock A, Leavitt BR. The clinical and genetic features of Huntingtondisease. J Geriatr Psychiatry Neurol. 2010 Dec;23(4):243-59. doi:10.1177/0891988710383573. Epub 2010 Oct 5. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/20923757)
- Tost H, Wendt CS, Schmitt A, Heinz A, Braus DF. Huntington's disease: phenomenological diversity of a neuropsychiatric condition that challengestraditional concepts in neurology and psychiatry. Am J Psychiatry. 2004Jan;161(1):28-34. doi: 10.1176/appi.ajp.161.1.28. No abstract available. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/14702246)
- Walker FO. Huntington's disease. Lancet. 2007 Jan 20;369(9557):218-28. doi:10.1016/S0140-6736(07)60111-1. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/17240289)
- Young AB. Huntingtin in health and disease. J Clin Invest. 2003Feb;111(3):299-302. doi: 10.1172/JCI17742. No abstract available. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/12569151) or Free article on PubMed Central (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC151871/)

Last updated July 1, 2020