

Progressive osseous heteroplasia

Description

Progressive osseous heteroplasia is a disorder in which bone forms within skin and muscle tissue. Bone that forms outside the skeleton is called heterotopic or ectopic bone. In progressive osseous heteroplasia, ectopic bone formation begins in the deep layers of the skin (dermis and subcutaneous fat) and gradually moves into other tissues such as skeletal muscle and tendons. The bony lesions within the skin may be painful and may develop into open sores (ulcers). Over time, joints can become involved, resulting in impaired mobility.

Signs and symptoms of progressive osseous heteroplasia usually become noticeable during infancy. In some affected individuals, however, the disorder may not become evident until later in childhood or in early adulthood.

Frequency

Progressive osseous heteroplasia is a rare condition. Its exact incidence is unknown.

Causes

Progressive osseous heteroplasia is caused by a mutation in the *GNAS* gene. The *GNAS* gene provides instructions for making one part of a protein complex called a guanine nucleotide-binding protein, or a G protein.

In a process called signal transduction, G proteins trigger a complex network of signaling pathways that ultimately influence many cell functions. The protein produced from the *GNAS* gene is believed to play a key role in signaling pathways that help regulate the development of bone (osteogenesis), preventing bony tissue from being produced outside the skeleton.

The GNAS gene mutations that cause progressive osseous heteroplasia disrupt the function of the G protein and impair its ability to regulate osteogenesis. As a result, bony tissue grows outside the skeleton and causes the complications associated with this disorder.

Learn more about the gene associated with Progressive osseous heteroplasia

GNAS

Inheritance

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder.

People normally inherit one copy of each gene from their mother and one copy from their father. For most genes, both copies are active, or "turned on," in all cells. For a small subset of genes, however, only one of the two copies is active. For some of these genes, only the copy inherited from a person's father (the paternal copy) is active, while for other genes, only the copy inherited from a person's mother (the maternal copy) is active. These differences in gene activation based on the gene's parent of origin are caused by a phenomenon called genomic imprinting.

The GNAS gene has a complex genomic imprinting pattern. In some cells of the body the maternal copy of the gene is active, while in others the paternal copy is active. Progressive osseous heteroplasia occurs when mutations affect the paternal copy of the gene.

Other Names for This Condition

- Cutaneous ossification
- Ectopic ossification
- Heterotopic ossification
- Myositis ossificans progressiva
- Osteodermia
- Osteoma cutis
- Osteosis cutis
- POH

Additional Information & Resources

Genetic Testing Information

 Genetic Testing Registry: Progressive osseous heteroplasia (https://www.ncbi.nlm.n ih.gov/gtr/conditions/C0334041/)

Genetic and Rare Diseases Information Center

Progressive osseous heteroplasia (https://rarediseases.info.nih.gov/diseases/109/index)

Patient Support and Advocacy Resources

National Organization for Rare Disorders (NORD) (https://rarediseases.org/)

Catalog of Genes and Diseases from OMIM

OSSEOUS HETEROPLASIA, PROGRESSIVE; POH (https://omim.org/entry/166350)

Scientific Articles on PubMed

 PubMed (https://pubmed.ncbi.nlm.nih.gov/?term=%28Ossification,+Heterotopic%5B MAJR%5D%29+AND+%28progressive+osseous+heteroplasia%5BTIAB%5D%29+A ND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22% 5Bdp%5D)

References

- Adegbite NS, Xu M, Kaplan FS, Shore EM, Pignolo RJ. Diagnostic and mutationalspectrum of progressive osseous heteroplasia (POH) and other forms of GNAS-basedheterotopic ossification. Am J Med Genet A. 2008 Jul 15;146A(14): 1788-96. doi:10.1002/ajmg.a.32346. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/18553568) or Free article on PubMed Central (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2564798/)
- Aynaci O, Mujgan Aynaci F, Cobanoglu U, Alpay K. Progressive osseousheteroplasia. A case report and review of the literature. J Pediatr Orthop B. 2002 Oct;11(4):339-42. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/12370 587)
- Chan I, Hamada T, Hardman C, McGrath JA, Child FJ. Progressive osseousheteroplasia resulting from a new mutation in the GNAS1 gene. Clin Exp Dermatol.2004 Jan;29(1):77-80. doi: 10.1111/j.1365-2230.2004.01439.x. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/14723729)
- Pignolo RJ, Ramaswamy G, Fong JT, Shore EM, Kaplan FS. Progressive osseousheteroplasia: diagnosis, treatment, and prognosis. Appl Clin Genet. 2015 Jan30;8:37-48. doi: 10.2147/TACG.S51064. eCollection 2015. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/25674011) or Free article on PubMed Central (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4321643/)
- Plagge A, Kelsey G, Germain-Lee EL. Physiological functions of the imprintedGnas locus and its protein variants Galpha(s) and XLalpha(s) in human and mouse.J Endocrinol. 2008 Feb;196(2):193-214. doi: 10.1677/JOE-07-0544. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/18252944)
- Shore EM, Ahn J, Jan de Beur S, Li M, Xu M, Gardner RJ, Zasloff MA, Whyte MP, Levine MA, Kaplan FS. Paternally inherited inactivating mutations of the GNAS1gene in progressive osseous heteroplasia. N Engl J Med. 2002 Jan10;346(2): 99-106. doi: 10.1056/NEJMoa011262. Erratum In: N Engl J Med 2002 May23;346(21):1678. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/11784876)

- Shore EM, Kaplan FS. Inherited human diseases of heterotopic bone formation.Nat Rev Rheumatol. 2010 Sep;6(9):518-27. doi: 10.1038/nrrheum.2010.122. Epub 2010Aug 10. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/20703219) or Free article on PubMed Central (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC355 1620/)
- Weinstein LS, Chen M, Liu J. Gs(alpha) mutations and imprinting defects inhuman disease. Ann N Y Acad Sci. 2002 Jun;968:173-97. doi:10.1111/j.1749-6632.2002. tb04335.x. Citation on PubMed (https://pubmed.ncbi.nlm.nih.gov/12119276)

Last updated February 1, 2018